

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
1	Abra loam, 1 to 3 percent slopes								
		ABRA	85	> 72	None	Not limited	Very limited	Moderate	Low
10	Aquolls, 0 to 3 percent slopes								
		AQUOLLS	95	24-72	Frequent	Very limited	Very limited	Moderately slow	Medium
100	Spectacle-Kinesava loams, 5 to 30 percent slopes								
		SPECTACLE	50	> 72	None	Very limited	Very limited	Slow	High
		KINESAVA	30	> 72	None	Very limited	Very limited	Slow	High
101	Tellura-Leaps clay loams, 5 to 40 percent slopes								
		TELLURA	45	> 72	None	Very limited	Very limited	Slow	Very high
		LEAPS	40	> 72	None	Very limited	Very limited	Slow	Very high
102	Typic Torriorthents, 3 to 80 percent slopes								
		TYPIC TORRIORTHENTS	85	> 72	None	Very limited	Very limited	Slow	Very high
103	Ustic Torriorthents-Ustochreptic Calciorthids, 3 to 30 percent slopes								
		USTIC TORRIORTHENTS	50	> 72	None	Very limited	Very limited	Moderately slow	High
		USTOCHREPTIC CALCIORTHIDS	45	> 72	None	Very limited	Very limited	Slow	High
104	Vananda silty clay, 1 to 6 percent slopes								
		VANANDA	85	> 72	None	Very limited	Somewhat limited	Very slow	Very high
105	Winnett silty clay loam, 1 to 3 percent slopes								
		WINNETT	90	> 72	Rare	Very limited	Somewhat limited	Very slow	Very high
106	Winz-Rock outcrop complex, 20 to 90 percent slopes, very stony								
		WINZ	60	> 72	None	Very limited	Very limited	Moderately slow	Very high
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high
107	Witt loam, dry, 1 to 12 percent slopes								
		WITT	85	> 72	None	Not limited	Very limited	Moderately slow	High
108	Wrayha stony clay loam, 3 to 40 percent slopes								
		WRAYHA	85	> 72	None	Very limited	Very limited	Slow	Very high
109	Zoltay loam, 3 to 15 percent slopes								
		ZOLTAY	85	> 72	None	Somewhat limited	Very limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
11	Badland								
		BADLAND	90	> 72	None	Very limited	Very limited	Very slow	Very high
110	Zoltay clay loam, 1 to 3 percent slopes								
		ZOLTAY	85	> 72	None	Somewhat limited	Somewhat limited	Slow	High
111	Zyme-Bodot-Rock outcrop complex, 15 to 30 percent slopes								
		ZYME	40	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high
		BODOT	25	> 72	None	Very limited	Very limited	Slow	Very high
12	Baird Hollow-Nordicol-Ryman complex, 5 to 40 percent slopes								
		BAIRD HOLLOW	35	> 72	None	Very limited	Very limited	Slow	High
		NORDICOL	25	> 72	None	Very limited	Very limited	Moderate	High
		RYMAN	20	> 72	None	Very limited	Very limited	Slow	Very high
13	Barkelew-Emmons complex, 5 to 40 percent slopes								
		BARKELEW	50	> 72	None	Very limited	Very limited	Moderate	High
		EMMONS	30	> 72	None	Somewhat limited	Very limited	Moderately slow	High
14	Barx fine sandy loam, 1 to 3 percent slopes								
		BARX	85	> 72	None	Not limited	Somewhat limited	Moderate	Low
15	Barx fine sandy loam, 3 to 6 percent slopes								
		BARX	85	> 72	None	Not limited	Somewhat limited	Moderate	Medium
16	Barx fine sandy loam, 6 to 12 percent slopes								
		BARX	85	> 72	None	Somewhat limited	Very limited	Moderate	Medium
17	Barx-Progresso complex, 3 to 12 percent slopes								
		BARX	45	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		PROGRESSO	40	> 72	None	Very limited	Very limited	Slow	High
18	Begay fine sandy loam, 1 to 6 percent slopes								
		BEGAY	85	> 72	None	Not limited	Very limited	Moderately rapid	Very low
19	Beje fine sandy loam, 3 to 25 percent slopes								
		BEJE	80	> 72	None	Very limited	Very limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
2	Abra loam, 3 to 6 percent slopes								
		ABRA	85	> 72	None	Not limited	Very limited	Moderate	Medium
20	Billings silt loam, 1 to 4 percent slopes								
		BILLINGS	85	> 72	Rare	Very limited	Somewhat limited	Moderately slow	Low
21	Billings clay loam, moist, 1 to 4 percent slopes								
		BILLINGS	90	> 72	Rare	Very limited	Somewhat limited	Moderately slow	Medium
22	Bodot silty clay loam, dry, 3 to 12 percent slopes								
		BODOT	90	> 72	None	Somewhat limited	Very limited	Slow	Very high
23	Bodot, dry-Ustic Torriorthents complex, 5 to 50 percent slopes								
		BODOT	45	> 72	None	Very limited	Very limited	Slow	Very high
		USTIC TORRIORTHENTS	40	> 72	None	Very limited	Very limited	Slow	Very high
24	Bodot-Zyme silty clay loams, dry, 3 to 20 percent slopes								
		BODOT	50	> 72	None	Somewhat limited	Very limited	Slow	Very high
		ZYME	35	> 72	None	Very limited	Very limited	Slow	Very high
25	Bond-Progresso complex, 3 to 30 percent slopes								
		BOND	45	> 72	None	Very limited	Very limited	Slow	Very high
		PROGRESSO	40	> 72	None	Very limited	Very limited	Slow	High
26	Borolls-Rock outcrop complex, 40 to 90 percent slopes								
		BOROLLS	45	> 72	None	Very limited	Very limited	Moderately slow	Very high
		ROCK OUTCROP	40	> 72	None	Very limited	Very limited	Very slow	Very high
27	Burnac-Delson sandy loams, 3 to 20 percent slopes								
		BURNAC	55	> 72	None	Somewhat limited	Very limited	Slow	Very high
		DELSON	25	> 72	None	Somewhat limited	Very limited	Slow	Very high
28	Burnac-Delson-Falcon sandy loams, 20 to 50 percent slopes								
		BURNAC	45	> 72	None	Very limited	Very limited	Slow	Very high
		DELSON	30	> 72	None	Very limited	Very limited	Slow	Very high
		FALCON	15	> 72	None	Very limited	Very limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
29	Bushvalley-Nordicol Variant complex, 2 to 10 percent slopes								
		BUSHVALLEY	50	> 72	None	Very limited	Very limited	Slow	Very high
		NORDICOL VARIANT	30	> 72	None	Very limited	Very limited	Slow	High
3	Abra loam, 6 to 12 percent slopes								
		ABRA	85	> 72	None	Somewhat limited	Very limited	Moderate	Medium
30	Callan loam, 1 to 3 percent slopes								
		CALLAN	80	> 72	None	Not limited	Somewhat limited	Slow	High
31	Callan loam, 3 to 6 percent slopes								
		CALLAN	80	> 72	None	Not limited	Somewhat limited	Slow	Very high
32	Callan loam, 6 to 12 percent slopes								
		CALLAN	80	> 72	None	Somewhat limited	Very limited	Slow	Very high
33	Callan-Gurley loams, 3 to 20 percent slopes								
		CALLAN	50	> 72	None	Somewhat limited	Very limited	Slow	Very high
		GURLEY	40	> 72	None	Very limited	Very limited	Slow	Very high
34	Ceek very flaggy clay loam, 10 to 40 percent slopes								
		CEEK	85	> 72	None	Very limited	Very limited	Slow	Very high
35	Clapper loam, 1 to 8 percent slopes								
		CLAPPER	85	> 72	None	Somewhat limited	Very limited	Moderate	Medium
36	Clapper-Ustic Torriorthents complex, 5 to 40 percent slopes								
		CLAPPER	45	> 72	None	Very limited	Very limited	Moderate	High
		USTIC TORRIORTHENTS	40	> 72	None	Very limited	Very limited	Slow	Very high
37	Cryaquolls, 0 to 3 percent slopes								
		CRYAQUOLLS	90	18-72	Frequent	Very limited	Very limited	Slow	High
38	Evanston fine sandy loam, 2 to 8 percent slopes								
		EVANSTON	85	> 72	None	Somewhat limited	Somewhat limited	Moderately slow	High
39	Falcon-Burnac-Rock outcrop complex, 3 to 20 percent slopes								
		FALCON	55	> 72	None	Very limited	Very limited	Slow	Very high
		BURNAC	25	> 72	None	Somewhat limited	Very limited	Slow	Very high
		ROCK OUTCROP	15	> 72	None	Very limited	Very limited	Very slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
4	Ackmen silt loam, 1 to 3 percent slopes								
		ACKMEN	90	> 72	Rare	Very limited	Somewhat limited	Moderate	Low
40	Farb-Rock outcrop complex, 1 to 30 percent slopes								
		FARB	45	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	40	> 72	None	Very limited	Very limited	Very slow	Very high
41	Fivepine-Nortez-Rock outcrop complex, 12 to 30 percent slopes								
		FIVEPINE	40	> 72	None	Very limited	Very limited	Slow	Very high
		NORTEZ	30	> 72	None	Very limited	Very limited	Slow	High
		ROCK OUTCROP	20	> 72	None	Very limited	Very limited	Very slow	Very high
42	Fivepine-Pino loams, 0 to 15 percent slopes								
		FIVEPINE	50	> 72	None	Very limited	Very limited	Slow	Very high
		PINO	35	> 72	None	Very limited	Very limited	Slow	High
43	Fluvaquents, 0 to 6 percent slopes, frequently flooded								
		FLUVAQUENTS	90	30-72	Frequent	Very limited	Very limited	Moderate	Low
44	Fruitland loam, 1 to 8 percent slopes								
		FRUITLAND	85	> 72	None	Not limited	Very limited	Moderate	Medium
45	Gladel-Bond-Rock outcrop complex, 1 to 50 percent slopes								
		GLADEL	35	> 72	None	Very limited	Very limited	Slow	Very high
		BOND	30	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
46	Gladel-Bond-Rock outcrop complex, cool, 3 to 25 percent slopes								
		GLADEL	35	> 72	None	Very limited	Very limited	Slow	Very high
		BOND	30	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high
47	Gurley loam, 1 to 8 percent slopes								
		GURLEY	85	> 72	None	Very limited	Very limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
48	Gurley-Skein loams, 3 to 20 percent slopes								
		GURLEY	50	> 72	None	Very limited	Very limited	Slow	Very high
		SKEIN	40	> 72	None	Very limited	Very limited	Slow	Very high
49	Gypsiorthids, 3 to 25 percent slopes								
		GYPSIORTHIDS	85	> 72	None	Somewhat limited	Very limited	Moderate	Medium
5	Acree loam, 1 to 6 percent slopes								
		ACREE	85	> 72	None	Very limited	Somewhat limited	Slow	High
50	Gypsum land								
		GYPSUM LAND	95	> 72	None	Very limited	Very limited	Very slow	Very high
51	Haplaquolls, 0 to 3 percent slopes								
		HAPLAQUOLLS	85	27-72	Frequent	Very limited	Very limited	Moderate	Low
52	Killpack-Deaver loams, 2 to 15 percent slopes								
		KILLPACK	50	> 72	None	Somewhat limited	Very limited	Very slow	Very high
		DEAVER	30	> 72	None	Somewhat limited	Very limited	Slow	Very high
53	Leaps-Hofly loams, 5 to 40 percent slopes								
		LEAPS	45	> 72	None	Very limited	Very limited	Slow	Very high
		HOFLY	40	> 72	None	Very limited	Very limited	Slow	Very high
54	Leaps-Tellura complex, 5 to 20 percent slopes								
		LEAPS	60	> 72	None	Very limited	Very limited	Slow	Very high
		TELLURA	25	> 72	None	Somewhat limited	Very limited	Slow	Very high
55	Lillylands loam, 15 to 50 percent slopes								
		LILLYLANDS	85	> 72	None	Very limited	Very limited	Slow	Very high
56	Mikim loam, 1 to 6 percent slopes								
		MIKIM	90	> 72	Rare	Very limited	Somewhat limited	Moderate	Low
57	Minchey fine sandy loam, 1 to 10 percent slopes								
		MINCHEY	85	> 72	None	Not limited	Very limited	Moderate	Medium
58	Mitch loam, 1 to 6 percent slopes								
		MITCH	85	36-72	Rare	Very limited	Very limited	Moderate	Low
59	Mivida fine sandy loam, 5 to 15 percent slopes								
		MIVIDA	85	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
6	Acree loam, 6 to 12 percent slopes								
		ACREE	85	> 72	None	Very limited	Very limited	Slow	Very high
60	Monogram loam, 1 to 8 percent slopes								
		MONOGRAM	85	> 72	None	Not limited	Somewhat limited	Moderately slow	High
61	Monticello-Witt loams, 1 to 3 percent slopes								
		MONTICELLO	60	> 72	None	Not limited	Somewhat limited	Moderate	Low
		WITT	30	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
62	Monticello-Witt loams, 3 to 6 percent slopes								
		MONTICELLO	60	> 72	None	Not limited	Somewhat limited	Moderate	Medium
		WITT	30	> 72	None	Not limited	Somewhat limited	Moderately slow	High
63	Monticello-Witt loams, 6 to 12 percent slopes								
		MONTICELLO	60	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		WITT	30	> 72	None	Somewhat limited	Very limited	Moderately slow	High
64	Narraguinnep clay loam, moist, 15 to 50 percent slopes								
		NARRAGUINNEP	90	> 72	None	Very limited	Very limited	Slow	Very high
65	Narraguinnep-Dapoin complex, 1 to 15 percent slopes								
		NARRAGUINNEP	55	> 72	None	Somewhat limited	Very limited	Slow	Very high
		DAPOIN	30	> 72	None	Somewhat limited	Very limited	Slow	Very high
66	Nortez loam, 1 to 6 percent slopes								
		NORTEZ	85	> 72	None	Very limited	Very limited	Slow	Medium
67	Nortez loam, 6 to 12 percent slopes								
		NORTEZ	85	> 72	None	Very limited	Very limited	Slow	High
68	Nortez-Acree loams, 1 to 12 percent slopes								
		NORTEZ	50	> 72	None	Very limited	Very limited	Slow	High
		ACREE	35	> 72	None	Somewhat limited	Very limited	Slow	Very high
69	Nortez-Fivepine loams, 1 to 12 percent slopes								
		NORTEZ	45	> 72	None	Very limited	Very limited	Slow	High
		FIVEPINE	40	> 72	None	Very limited	Very limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
7	Acree-Zoltay-Nortez complex, 0 to 15 percent slopes								
		ACREE	45	> 72	None	Very limited	Very limited	Slow	Very high
		ZOLTAY	25	> 72	None	Somewhat limited	Very limited	Slow	Very high
		NORTEZ	20	> 72	None	Very limited	Very limited	Slow	High
70	Nunemaker clay, 3 to 10 percent slopes								
		NUNEMAKER	90	> 72	None	Very limited	Very limited	Slow	Very high
71	Nyswonger silty clay loam, 1 to 4 percent slopes								
		NYSWONGER	90	45-72	Rare	Very limited	Somewhat limited	Slow	High
72	Pagoda-Coulterg-Cabba complex, 10 to 60 percent slopes								
		PAGODA	35	> 72	None	Very limited	Very limited	Slow	Very high
		COULTERG	30	> 72	None	Very limited	Very limited	Moderately slow	Very high
		CABBA	20	> 72	None	Very limited	Very limited	Slow	Very high
73	Paradox fine sandy loam, 1 to 4 percent slopes								
		PARADOX	85	> 72	None	Not limited	Very limited	Moderate	Low
74	Persayo-Chipeta complex, 2 to 20 percent slopes								
		PERSAYO	50	> 72	None	Very limited	Very limited	Slow	Very high
		CHIPETA	35	> 72	None	Very limited	Very limited	Very slow	Very high
75	Pinon-Bowdish-Progresso loams, cool, 1 to 12 percent slopes								
		PINON	35	> 72	None	Very limited	Very limited	Slow	Very high
		BOWDISH	30	> 72	None	Very limited	Very limited	Moderately slow	High
		PROGRESSO	20	> 72	None	Very limited	Very limited	Slow	High
76	Pinon-Bowdish-Rock outcrop complex, 3 to 30 percent slopes								
		PINON	30	> 72	None	Very limited	Very limited	Slow	Very high
		BOWDISH	25	> 72	None	Very limited	Very limited	Moderately slow	High
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high
77	Pinon-Progresso loams, 3 to 12 percent slopes								
		PINON	55	> 72	None	Very limited	Very limited	Slow	Very high
		PROGRESSO	30	> 72	None	Very limited	Very limited	Slow	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
78	Pinon-Ustic Torriorthents complex, 5 to 30 percent slopes								
		PINON	50	> 72	None	Very limited	Very limited	Slow	Very high
		USTIC TORRIORTHENTS	35	> 72	None	Very limited	Very limited	Slow	High
79	Pojoaque-Chilton complex, 5 to 30 percent slopes, extremely stony								
		POJOAQUE	50	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		CHILTON	30	> 72	None	Very limited	Very limited	Moderate	Medium
8	Adel loam, 5 to 30 percent slopes								
		ADEL	80	> 72	None	Very limited	Very limited	Moderate	Medium
80	Progreso loam, 1 to 3 percent slopes								
		PROGRESSO	85	> 72	None	Very limited	Very limited	Slow	Medium
81	Progreso loam, 3 to 6 percent slopes								
		PROGRESSO	85	> 72	None	Very limited	Very limited	Slow	High
82	Progreso loam, 6 to 12 percent slopes								
		PROGRESSO	85	> 72	None	Very limited	Very limited	Slow	High
83	Pulpit-Bond, cool complex, 1 to 6 percent slopes								
		PULPIT	50	> 72	None	Very limited	Very limited	Slow	Medium
		BOND	30	> 72	None	Very limited	Very limited	Slow	High
84	Radersburg gravelly loam, 1 to 6 percent slopes								
		RADERSBURG	90	> 72	None	Very limited	Very limited	Moderately slow	Medium
85	Radersburg gravelly loam, 6 to 30 percent slopes								
		RADERSBURG	85	> 72	None	Very limited	Very limited	Moderately slow	High
86	Redlands sandy loam, 1 to 6 percent slopes								
		REDLANDS	85	> 72	None	Not limited	Somewhat limited	Moderate	Low
87	Rock outcrop								
		ROCK OUTCROP	90	> 72	None	Very limited	Very limited	Very slow	Very high
88	Rock outcrop-Orthents complex, 40 to 90 percent slopes								
		ROCK OUTCROP	50	> 72	None	Very limited	Very limited	Very slow	Very high
		ORTHENTS	45	> 72	None	Very limited	Very limited	Moderate	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
89	Ryman loam, dry, 2 to 20 percent slopes								
		RYMAN	80	> 72	None	Somewhat limited	Very limited	Slow	High
9	Adel loam, moist, 15 to 50 percent slopes								
		ADEL	90	> 72	None	Very limited	Very limited	Moderate	High
90	Ryman loam, warm, 2 to 20 percent slopes								
		RYMAN	85	> 72	None	Somewhat limited	Very limited	Slow	Very high
91	Ryman-Adel, moist complex, 1 to 15 percent slopes								
		RYMAN	50	> 72	None	Somewhat limited	Very limited	Slow	High
		ADEL	30	> 72	None	Somewhat limited	Very limited	Moderate	Medium
92	Sagedale clay loam, 3 to 20 percent slopes								
		SAGEDALE	85	> 72	None	Somewhat limited	Very limited	Slow	Very high
93	Sapeha very cobbly loam, 15 to 50 percent slopes								
		SAPEHA	90	> 72	None	Very limited	Very limited	Moderately slow	Very high
94	Seitz gravelly loam, 10 to 60 percent slopes								
		SEITZ	90	> 72	None	Very limited	Very limited	Slow	Very high
95	Skein-Rock outcrop complex, 3 to 65 percent slopes								
		SKEIN	60	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
96	Skisams-Bushvalley-Cryoborolls, moderately deep complex, 2 to 15 percent slopes								
		SKISAMS	35	> 72	None	Very limited	Very limited	Slow	Very high
		BUSHVALLEY	30	> 72	None	Very limited	Very limited	Slow	Very high
		CRYOBOROLLS	25	> 72	None	Very limited	Very limited	Slow	High
97	Skisams-Cryoborolls, moderately deep complex, 5 to 30 percent slopes								
		SKISAMS	55	> 72	None	Very limited	Very limited	Slow	Very high
		CRYOBOROLLS	40	> 72	None	Very limited	Very limited	Slow	High
98	Specie gravelly loam, 5 to 15 percent slopes								
		SPECIE	90	> 72	None	Very limited	Very limited	Moderately rapid	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
99	Specie, moist-Rock outcrop complex, 15 to 60 percent slopes								
		SPECIE	65	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high